INDEX

Page

Acids, organic—
toxic effects on Phytophthora spores.. 1078–1090, 1093–1094
Actia sp., parasites of *Heterocampa guttivitta* Walk..... 693, 695
Actinomyces—
annulatus, behavior on culture media.... 723
scabies, scab of fungus, notes..... 758
Admontia hylotomae Coq. (?), parasite of *Heterocampa guttivitta* Walk..... 693, 695
Africa, South, citrus diseases..... 157–158, 164
Agronomic Experiments, Measuring Correlated Variation, Moving Average as Basis: Frederick D. Richey..... 1161–1175
Alabama—
citrus diseases..... 150–151, 153–155, 157
overwintering of *Pseudomonas citri*..... 345
Alcohol, use in attracting flies..... 347–358
Alcohols, toxicity to Phytophthora spores 1072–1075, 1090–1092
Aldehydes, comparative toxicity to Phytophthora spores..... 1075–1078, 1092–1093
Alfalfa—
feed values for horses..... 573–575, 597
food plant of pea aphis in California..... 864
relation to calcium assimilation by dairy cows..... 857, 858, 859
Algeria popcorn, Jala hybrid, correlated characters..... 39–50
Allen—
H. W.: Life History of the Variegated Cutworm Tachina Fly, *Archytas analis*. 417, 435
Ruth F.: Cytological Studies of Forms 9, 21, and 27 of *Puccinia graminis tritici* on Khapli Emmer..... 701–725
Amaranthus—
Arlington, host of European corn borer 1054–1055, 1059
Revere, host of European corn borer.. 1054–1055, 1059–1060
Amblyteles subtatus Cress., parasite of *Heterocampa guttivitta* Walk..... 693, 696
Anamorphosis, revised method for timber yield tables..... 545–546, 547, 548, 557
Ancylis comptana Froehl., Strawberry Leaf Roller, Biology of *Macrocentrus ancylivora* Rohwer, an Important Parasite: David E. Fink..... 1121–1134
Anisota rubicunda Fab., damage to trees, comparison with *Heterocampa guttivitta* 692
Apanteles—
militaris, parasite of army worms..... 1105, 1109–1110, 1111–13
schizurae Ashm., parasite of *Heterocampa guttivitta* Walk..... 693, 694
Aphis, Pea, in California: Roy E. Campbell..... 861–881
Apples—
acidity, relation to water-core..... 247–252
heat—
effects, contrasts in same apple..... 11–14
resistance, determination..... 10–11
High-Temperature Effects: Contrasts in the Two Sides of an Apple: Charles Brooks and D. F. Fisher..... 1–16
size and growth rate, relation to irrigation, fertilizers, and water-core..... 241–243
varieties most susceptible to water-core.. 223
Water-Core—
Charles Brooks and D. F. Fisher..... 223–260
effect of storage on..... 253–258
Archibald, J. G., Lindsey, J. B., and Beals, C. L.: The Digestibility and Energy Values of Feeds for Horses..... 569–604

Page

Archytas analis, the Variegated Cutworm Tachina Fly, Life History: H. W. Allen 417–435
Arizona—
cotton, relation between soil solution and leaf fluids..... 605–647
Experiments in the Control of Cotton Root Rot: C. J. King and H. F. Loomis 297–310
soil salinity, correlation coefficients..... 611, 614
Western Yellow Pine, the Determination of Increment in Cut-Over Stands in: Hermann Krauch..... 501–541
Arlington—
amaranthus. *See* Amaranthus.
Farm, experiments—
in bean root rot..... 317
in corn smut..... 652–656, 662–664, 935–943, 953
in resistance of wheat to rust..... 932–966
with sweet potato black rot..... 1135–1142
Army worms—
Observations on Texas Gulf Coast..... 1099–1119
parasites, study..... 1110–1118
rearing experiments..... 1101–1102
yellow-striped, host of *Archytas analis* instar..... 424
Arsenate solutions, effect on bean foliage.. 80
Arsenic, toxicity of trivalent and pentavalent, comparison..... 363–364
Arsenicals, Alternate Extraction and Exposure Method in Study of Arsenicals: S. Lomanitz..... 499–500
Australia, citrus canker and scab..... 150, 158, 160
Awnlessness, inheritance, Turkey wheat crosses..... 167–168

Bacot, A. W., studies of vitamins..... 897
Bacterium tumefaciens, development, environmental factors..... 83–96
Ballard, W. S., and Magness, J. R.: The Respiration of Bartlett Pears..... 801–832
Barber, George W.: A Two-Year Study of the Development of the European Corn Borer in the New England Area..... 1053–1068
Barley—
breeding, discussion of crosses..... 369–390
development of immature kernels, discussion of study results, with summary.... 678
ground, feed values for horses..... 579, 597
heads, remarks on..... 367–368
injury by *Cirphis latiuscula*..... 1100, 1101
Kernels, Immature, Development When Removed From the Plant: Harry V. Harlan and Merritt N. Pope..... 669–678
Spike, Genetical Study of the Fertility of the Lateral Florets: M. C. Gillis..... 367–390
Bartlett pears. *See* Pears.
Bartsch, Paul and Quick, Mary Elaine: An Anatomic8 tudy of *Zonitoides arboreus* Say..... 783–791
Beals, C. L., Archibald, J. G., and Lindsey, J. B.: The Digestibility and Energy Values of Feeds for Horses..... 569–604
Bean, Root Rot, in California Caused by *Fusarium martii phaseoli* Burk. and *F. aduncisporum* n. sp.: J. L. Weimer and L. L. Harter..... 311–319
Beans—
foliage injury by sprays..... 79–81
food plant of pea aphis in California..... 864
Beech trees, injury by *Heterocampa guttivitta*..... 691, 692
Beef—
edible viscera, protein value..... 680–682, 683–688
nutritive value of protein in voluntary muscle, heart, liver, and kidney..... 1025–1040
Beetles, injury to coconut palms..... 472

Page

Beets, sugar—
loss of sugar in storage, effect of moisture, discussion, and summary of results of study ... 1151-1152
Storage Loss of Sugar, Effect of Moisture on: Dean A. Pack ... 1143-1152
Blackberry Rust—
Caeoma nitens, Question of Nuclear Fusions: B. O. Dodge and L. O. Gaiser ... 1003-1024
crossing the long-cycled forms with short-cycled ... 1022, 1023
Blackjack—
meaning of word in pine names ... 502
relation to yellow pine in volume and increment ... 518-520
Black-Rot Fungus, Infection of Sweet Potatoes, Influence of Soil Temperature and Soil Moisture; L. L. Harter and W. A. Whitney ... 1153-1160
Blarina brevicauda Say, predator of *Heterocampa guttivitta* Walk ... 693, 698
Blossom Blight—
and Leaf Spot, Botrytis, Relation to Gray Mold of Head Lettuce: L. E. Melchers ... 883-894
geranium, symptoms ... 885-886
Bone—
and Fat, Cattle Slaughtered in Commercial Packing Plants, Practical Methods of Estimating the Proportions: J. L. Lush ... 727-755
percentage in dressed carcass ... 744-748
relation to dressing per cent of beef animal ... 748
Borer, Corn, Development in the New England Area, a Two-Year Study: George W Barber ... 1053-1068
Borneo, citrus scab and canker ... 150, 159, 160
Botrytis—
Blossom Blight and Leaf Spot of Geranium, and Its Relation to the Gray Mold of Head Lettuce: L. E. Melchers ... 883-894
cause of geranium disease, review of literature ... 883-884
cinerea—
greenhouse control ... 893
Pers., relation to blossom blight of geranium ... 892-893
sp.—
cause of geranium disease ... 883, 884
characteristics ... 891-892
control suggestions ... 893
experiments in isolation and infection ... 886-890
Braconids. *See Macrocentrus ancylivora.*
Brains. *See* Viscera.
Bran, wheat, composition and feed value for horses ... 594-595, 597
Breeding, barley, discussion of crosses ... 369-390
See also Genetics.
Brentzel, W. E.: The Pasmo Disease of Flax ... 25-37
Brewer's grains, feed values, for horses ... 580-581, 594
Briggs, Fred N.: Inheritance of Resistance to Bunt, *Tilletia tritici* (Bjerk.) Winter, in Wheat ... 973-990
Broccoli, ringspot of ... 97-132
Brooks, Charles and Fisher, D. F.—
Some High-Temperature Effects in Apples: Contrasts in the Two Sides of an Apple ... 1-16
Water-Core, Apples ... 223-260
Bruce, Donald: A Method of Preparing Timber Yield Tables ... 543-557
Brussels sprouts, ringspot of ... 97-132
Bud rot—
notes on ... 472
Phytophthora of Coconut Palms in Porto Rico: C. M. Tucker ... 471-498
Bunt—
resistance—
breeding for ... 169-172, 180
inheritance ... 165-181
inheritance studies, discussion and summary ... 988-990
Winter Habit, and Awnlessness, in Respect to Genetics of Marquis × Turkey Wheat: E. F. Gaines and H. P. Singleton ... 165-181
susceptibility, relationship with awns ... 168, 179

Bunt—Continued. Page
Tilletia tritici (Bjerk.) Winter, in Wheat, Inheritance of Resistance: Fred N. Briggs ... 973-990
Wheat, inheritance of resistance ... 988-989
See also Smut.
Bur clover, food plant of pea aphis in California ... 864

Cabbage—
ringspot of ... 97-132
yellows—
fungus damage, tissues as seat ... 194-195
fungus experiments with cabbage extract ... 184-187
hydrogen-ion relations ... 187-194
Nature of Resistance: E. C. Tims ... 183-199
Cacao, infections of Phytophthora spp. 472, 482, 496
Caeoma nitens, Blackberry Rust, the Question of Nuclear Fusions: B. O. Dodge and L. O. Gaiser ... 1003-1024
Calcium—
and Phosphorus, Metabolism in Dairy Cows: Edward B. Meigs, William A. Turner, T. Swann Harding, Arthur M. Hartman, and Fred M. Grant ... 833-860
Hydroxide, Rôle in Hydrated Lime-Acid Arsenate Sprays: F. L. Campbell ... 77-82
Calf and Veal, Sweetbreads: Nutritive Value of Protein in Beef Cheek Meat, Lips, Tongues, Brains, Spleen, and Tripe; and in Hog Brains and Tongues: Ralph Hoagland and George G. Snider ... 679-688
California—
Bean Root Rot Caused by *Fusarium martii phaseoli*, Burk. and *F. aduncisporum* n. sp.: J. L. Weimer and L. L. Harter ... 311-319
citrus scab and canker, immunity ... 150, 161-162, 164
Pea Aphis in: Roy E. Campbell ... 861-881
Root Rot of the Bean Caused by *Fusarium martii phaseoli* Burk. and *F. aduncisporum* n. sp.: J. L. Weimer and L. L. Harter ... 311-319
Calosoma—
frigidum, predator of *Heterocampa guttivitta* ... 693, 695, 696-698
sycophanta L., predator of *Heterocampa guttivitta* Walk ... 693, 695, 69
Campbell—
A. G., report on water core of apples ... 225
F. L.—
Rôle of Calcium Hydroxide in Hydrated Lime-Acid Lead Arsenate Sprays ... 77-82
The Practicability of Quantitative Toxicological Investigations on Mandibulate Insects ... 359-366
Roy E.: The Pea Aphis in California ... 861-881
Campoplex sp., parasite of *Heterocampa guttivitta* Walker ... 693, 695
Cane, sugar—
injury by army worm ... 1100, 1101
root disease caused by *Zonitoides arboreus* ... 783, 784, 787, 788-791
Canker, citrus, discussion of kinds and effects ... 336-343
See also Citrus, canker.
Carabus sylvosus Say, predator of *Heterocampa guttivitta* Walk ... 693, 698
Cartwright, W. B. and Larrimer, W. H.:
Determination—
by the 5-Square Yard Method of the Yield of Wheat Plots Used in Studies of the Hessian Fly, *Phytophaga destructor* Say ... 1045-1048
of the Percentage of Infestation by the Hessian Fly, *Phytophaga destructor* Say ... 1041-1044
Catalase—
Bartlett Pears—
association with respiration ... 830
behavior in storage ... 831
content, Bartlett pears, and oxygen supply in relation to respiration ... 818-826
determination, Bartlett pears ... 822, 824-825

Page

Caterpillars, poisoning, study of quantities desirable for ... 359–364
Cattle—
fat and bone, in individuals ... 730
Sheep, and Hogs, Nutritive Value of the Protein in Voluntary Muscle, Heart, Liver, and Kidney from: Ralph Hoagland and George G. Snider ... 1025–1040
Slaughtered in Commercial Packing Plants, Practical Methods of Estimating the Proportions of Fat and Bone: J. L. Lush ... 727–755
Cauliflower—
danger from ringspot ... 119–121
ringspot—
cold-storage test ... 131
of ... 97–132
storage, effect of ringspot ... 119–121
Cecrita guttivitta. *See Heterocampa guttivitta*.
Cephus pygmaeus (Linnaeus)—
description, etc ... 285–290
life history and habits ... 290–293
See also Sawfly.
Ceratostomella fimbriata (E. & H.) *See* Rot, black.
Cereals—
productivity study, remarks ... 1161–1162
yields, conclusion from study of moving average as basis for measuring correlated variation ... 1173–1175
Cheeks. *See* Viscera.
China, South, citrus diseases ... 153, 155, 156, 157, 164
Chlamydospores, onion smut, germination ... 135–137
Chromosomes and Their Significance in Strawberry Classification: A. E. Longley ... 559–568
Cirphis—
juncicola Guen., host of *Archytas analis* instar ... 424
latiuscula—
description by stages ... 1104–1108
(H. Sch.), in the Gulf Coast Region of Texas, Observations on: R. A. Vickery ... 1099–1119
life history and study ... 1099
parasites, discussion ... 1110–1112
spp. *See* Army worms.
subpunctata Harvey. *See Cirphis latiuscula* (H. Sch.).
unipuncta. *See Cirphis latiuscula*.
Citrange, infection with Pseudomonas canker ... 341
Citrus—
Canker and Scab, Effects of Weather on World Distribution and Prevalence: George L. Peltier and William J. Frederich ... 147–164
diseases, effect of weather on distribution, conclusions ... 162–164
Trees, Further Observations on the Relations Between Growth and Sap Concentration: H. S. Reed and F. F. Halma ... 1177–1194
Cladosporium citri Massee, effects of weather on distribution and prevalence ... 147–164
Climate—
conditions for citrus diseases ... 162–164
relation to keeping quality of pears ... 801–802
world citrus regions ... 151–152
Clinton, note on water core of apple ... 226
Cobb, study of water core of apples, note ... 225
Coccinellidae, enemies of pea aphis in California ... 879–880
Cocklebur, host of European corn borer ... 1054–1061, 1063
Coconut Palms, Phytophthora Bud Rot in Porto Rico: C. M. Tucker ... 471–498
Cocos nucifera. *See* Coconut palms.
Cod-Liver oil, effect on assimilation by cows ... 856, 859
Cold storage—
pears, Bartlett, respiration ... 810–813, 831
tests, ringspot of cauliflower ... 131
Cole, John S. and Hallsted., A. L.: The Effect of Outside Rows on the Yields of Plots of Kafir and Milo at Hays, Kans ... 991–1002

Page

Collins, C. W.: Observations on a Recurring Outbreak of *Heterocampa guttivitta* Walker and Natural Enemies Controlling It ... 689–699
Colocasia antiquorum Schott, leaf injury by *Phytophthora colocasiae* Rac ... 1070
Compsilura concinnata Meig., parasite of *Heterocampa guttivitta* Walk ... 693, 695
Cook, William C.: The Effectiveness of Certain Paraffin Derivatives in Attracting Flies ... 347–358
Corn—
Arlington, host of European corn borer ... 1054–1061
Borer, European, development in the New England Area, A Two-Year Study: George W. Barber ... 1053–1068
Correlated Characters in a Hybrid: J. H. Kempton ... 39–50
feed values for horses ... 581–584, 597
infection with smut, discussion of study results, with summary ... 667–668
Medford, host of European corn borer ... 1056–1057, 1058
Melrose, host of European corn borer ... 1054–1061
Revere, host of European corn borer ... 1054–1055, 1058, 1059–1060
Saugus, host of European corn borer ... 1059–1061
seed, infection with *Fusarium moniliforme*, etc ... 1195
Seedlings, Grown in the Greenhouse, Smut Resistance Study: W. H. Tisdale and C. O. Johnston ... 649–668
silage, remarks ... 328
smut—
of, review of studies ... 649–651
resistance, comparison of seedlings and adult plants ... 668
stages of maturity for ensilage ... 323, 332
Study to Determine Best Time to Ensile with Sunflowers and Sudan Grass: P. A. Wright and R. H. Shaw ... 321–333
time of planting, effect on European corn borer ... 1061
(*Zea mays*) Growing Seedlings Free from Seed-Borne Organisms, Method; W. D. Valleau and E. M. Johnson ... 1195–1198
Corncobs, feed values for horses ... 585–586, 597
Correlated Variation, Measuring in Agronomic Experiments, the Moving Average as a Basis: Frederick D. Richey ... 1161–1175
Cotton—
Egyptian and Upland, Relationship Between the Concentration of the Soil Solution and the Physicochemical Properties of the Leaf-Tissue Fluids: J. Arthur Harris ... 605–647
Root Rot—
Behavior at Greenville, Tex., Including an Experiment with Clean Fallows: Homer C. McNamara ... 17–24
Experiments in Control in Arizona: C. J. King and H. F. Loomis ... 297–310
experiments in Texas, review ... 297–299
roots, study of effect of manure on development ... 307–308
Sea-Island, Leaf, Bract, and Boll Spot Caused by *Helminthosporium gossypii* n. sp.: C. M. Tucker ... 391–395
spot—
disease caused by *Helminthosporium gossypii* n. sp., transmission and effect of moisture ... 391–395
remarks on disease ... 391
Cottons, varieties, relation between soil solution and leaf fluids ... 605–647
Cottonseed—
effect of cooking on gossypol content ... 793
expeller process, effect on gossypol ... 793–799
gossypol content, variation with locality ... 794
meal, feed value for horses ... 586–588, 597
Meals, North Carolina, the Gossypol and D-Gossypol Contents: F. W. Sherwood ... 793–800
Couch, James Fitton: Relative Toxicity of the Lupine Alkaloids ... 51–67

Cows— Page
Dairy—
Calcium and Phosphorus Metabolism in: Edward B. Meigs, William A. Turner, T. Swann Harding, Arthur M. Hartman, and Fred M. Grant ... 833–860
daily assimilation ... 847
metabolism, daily tables ... 847, 848–849
metabolism of calcium and phosphorus, study review ... 833–835
Crop rotation, remedy for potato wilt ... 458, 464–468
Crown Gall, Development, Influence of Environmental Factors: A. J. Riker ... 83–96
Crucifers, Ringspot—
Caused by *Mycosphaerella brassicicola* (Fr.) Lindau: J. L. Weimer ... 97–132
varietal resistance ... 129–130
Cuba, citrus scab ... 155, 157
Cutworm, Variegated, Life History of Tachina Fly, *Archytas analis*: H. W. Allen ... 417–435
Cutworms, control by manipulation of tachina fly ... 433
Cychrus elevatus Fab., predator of *Heterocampa guttivitta* Walk ... 693, 698

Datana ministra. *See* Caterpillars.
Davis, W. H.: Life History of *Ustilago striaeformis* (Westd.) Niessl which Causes a Leaf Smut of Timothy ... 69–76
Dock, host of European corn borer ... 1056–1058, 1060–1062
Dodge, B. O., and Gaiser, L. O.: The Question of Nuclear Fusions in the Blackberry Rust, *Caeoma nitens* ... 1003–1024
D-Gossypol, toxicity, source, etc ... 797–800
Drought injury, apples, as related to heat injury ... 14–15
Dry rot, caused by *Phytophthora colocasiae* Rac ... 1070
Dusting, for ringspot, injurious to crucifers ... 127–128, 131
Dysidius (*Pterostichus*) *mutus* Say, predator of *Heterocampa guttivitta* Walk ... 693, 698

Egyptian cotton. *See* Cotton.
Elachertus cacoeciae How., parasite of *Heterocampa guttivitta* Walk ... 693, 694
Embryos, barley, development studies ... 674–677
Emmer—
Khapli, Cytological Studies of Forms 9, 21, and 27 of *Puccinia graminis tritici*: Ruth F. Allen ... 701–725
See also Khapli emmer.
Enicospilus purgatus Say, parasite of *Heterocampa guttivitta* Walk ... 693, 696
Ensiling, Study to Determine the Best Time for Corn, Sunflowers, and Sudan Grass: P. A. Wright and R. H. Shaw ... 321–333
Ephestia kuehniella Zeller, the Mediterranean Flour Moth, a Physiological Study of the Growth in Wheat Flour: Charles H. Richardson ... 895–929
Ephialtes (*Ephialtes*) *pedalis* Cress., parasite of *Heterocampa guttivitta* ... 693, 696
Erysiphe graminis secalis. *See* Mildew.
Esters, use as bait for flies, comparisons ... 354–358

Fallows, Clean, Experiment with, Behavior of Cotton Root Rot at Greenville, Tex.: Homer C. McNamara ... 17–24
Farrer, W., studies of hybridization for bunt in wheat ... 974
Fat—
and Bone, Cattle Slaughtered in Commercial Packing Plants, Practical Methods of Estimating the Proportions: J. L. Lush ... 727–755
caul, percentage as indication of fatness ... 739–741, 743–745
offal, percentage as measure of fatness ... 737–739, 741–743
percentage—
indication of dressing per cent ... 734–737, 741–743
relation to composition of rib flesh ... 752–753
relationships in beef animals ... 729–734
Fatness, indications in beef animals ... 727, 732–754
Fats, vegetable, vitamin A in ... 415

Feeding— Page
cattle, experiments interpretation ... 749–751
experiments—
in nutritive value of protein ... 1025–1040
involving vitamins ... 399–415
with rations varying in protein content ... 685–687
Feeds, Horse, Digestibility and Energy Values of Feeds: J. B. Lindsey, C. L. Beals, and J. G. Archibald ... 569–604
Fellows, Hurley: Relation of Growth in the Potato Tuber to the Potato-Scab Disease ... 757–781
Fenugreek, infestation with pea aphis ... 864
Fertilizers, apple, relation to watercore ... 239–241, 243
Fink, David E.: The Biology of *Macrocentrus ancylivora* Rohwer, an Important Parasite of the Strawberry Leaf Roller (*Ancylis comptana* Froehl.) ... 1121–1134
Fisher, D. F., and Brooks, Charles—
Some High-Temperature Effects in Apples: Contrasts in the Two Sides of an Apple ... 1–16
Water-Core of, Apples ... 223–260
Flax—
Pasmo Disease: W. E. Brentzel ... 25–37
resistance to Pasmo, by varieties ... 37
Flaxseed, importation, introduction of Pasmo disease ... 2
"Flaxseeds," determination of percentage of parasitism of Hessian fly ... 1049–1051
Flies—
Attraction by Certain Paraffin Derivatives, Effectiveness: William C. Cook ... 347–358
bait experiments, time as factor ... 348–349
Florets, Lateral, of Barley Spike, Genetical Study of Fertility: M. C. Gillis ... 367–390
Florida, citrus scab and canker ... 150, 153, 154–155, 157
Flour—
experiments with vitamins in effect on insects ... 916–924, 927
Wheat, a Physiological Study of the Mediterranean Flour Moth in: Charles H. Richardson ... 895–929
Flowers, timothy, inoculation with smut ... 70–71
Fly, Hessian—
Parasite, *Platygaster hiemalis*, Forbes: Charles C. Hill ... 261–275
Phytophaga destructor Say, Determination of the Percentage of Infestation by: W. H. Larrimer and W. B. Cartwright ... 1041–1044
See also Hessian fly.
Foliage, injury by arsenical sprays ... 79–82
Foodstuffs, vitamin A in ... 397–415
Forests, injury by *Heterocampa guttivitta* ... 690, 692
Fragaria—
chromosome counts ... 559–565
diploid, chromosomes of ... 560–562
hexaploid, chromosomes of ... 562
octoploid, chromosomes of ... 562, 566, 567
polyploid, chromosomes of ... 559, 566, 567
vesca var. *americana alba*, study of chromosomes ... 559–568
Frederich, William J., and Peltier, George L.—
Effects of Weather on the World Distribution and Prevalence of Citrus Canker and Citrus Scab ... 147–164
Further Studies on the Overwintering of *Pseudomonas citri* ... 335–345
Fulcaster wheat, inheritance of susceptibility to leaf rust ... 945–953, 967
Fungus—
Black Rot, Infection of Sweet Potatoes, Influence of Soil Temperature and Soil Moisture: L. L. Harter and W. A. Whitney ... 1153–1160
cause of—
bunt in wheat ... 973–990
ringspot of crucifers ... 105–126
spot disease in cotton, description of organism ... 391–395
nuclear fusions in the blackberry rust ... 1003–1024
potato—
scab, notes ... 758
wilt, spread in clean soil ... 438–444
See also Verticillium albo-atrum.

Page

Fungus—Continued.
resistance, cabbage factors ... 194–195, 197
ringspot—
growth on culture media ... 124–126
injuries to host ... 119
inoculation experiments ... 106–108
rust—
entry, growth, and attacks on grain ... 706–712
notes ... 701–703, 723
smut, inoculation experiments ... 652, 657
spore transmission by means of seed ... 36
yellows. *See Fusarium conglutinans* (Wollenw.).
Fusaria—
comparison of *F. aduncisporum* n. sp. and *F. martii phaseoli* on various media ... 315
descriptions of species in study of root rot of beans ... 312–315
parasitism study ... 312
Fusarium—
aduncisporum n. sp., name proposed ... 312
conglutinans (Wollenw.)—
cause of cabbage yellows ... 183
resistance study ... 183–199
martii phaseoli Burk. and *F. aduncisporum* n. sp., Cause of Root Rot of Bean in California: J. L. Weimer and L. L. Harter ... 311–319
moniliforme Sheldon, infection of seed corn ... 1195

Gaines, E. F.—
and Singleton, H. P.: Genetics of Marquis × Turkey Wheat in Respect to Bunt Resistance, Winter Habit, and Awnlessness ... 165–181
studies of bunt resistance in wheat ... 974–975
Gaiser, L. O., and Dodge, B. O.: The Question of Nuclear Fusions in the Blackberry Rust, *Caeoma nitens* ... 1003–1024
Genetics, Marquis × Turkey Wheat in Respect to Bunt Resistance, Winter Habit, and Awnlessness: E. F. Gaines and H. P. Singleton ... 165–181
Geranium—
blossom blight and leaf spot, prevention ... 893
Botrytis Blossom Blight and Leaf Spot and Its Relation to the Gray Mold of Head Lettuce: L. E. Melchers ... 883–894
disease, from Botrytis, review of study ... 883–884
diseases, control, suggestions ... 893
leaf spot and blossom blight, symptoms ... 885–886
Germany, onion smut, destructiveness in ... 143
Germination—
Phytophthora colocasiae Rac, notes ... 1070, 1072
spore, in blackberry rust, study ... 1003–1024
Gillis, M. C.: A Genetical Study of the Fertility of the Lateral Florets of the Barley Spike ... 367–390
Glasser, R. W.: Studies of Vitamins ... 897
Glucoside, sulphur-containing, resistance toxin, hypothesis ... 197, 198
Gluten, feed, values for horses ... 585, 597
Gossypol—
and D-Gossypol, Content of Some North Carolina Cottonseed Meals: F. W. Sherwood ... 793–800
change into D-Gossypol, discussion ... 799
conversion factor ... 794
relation to color of meal ... 798
Grain, row yields, kafir and milo ... 991–1002
Grant, Fred M., Meigs, Edward B., Turner, William A., Harding, T. Swann, and Hartman, Arthur M.: Calcium and Phosphorus Metabolism in Dairy Cows ... 833–860
Grapefruit—
canker and scab, susceptibility ... 153, 155, 157
infection with Pseudomonas canker ... 341, 343, 344
Grass, barnyard, host of European corn borer ... 1054–1055, 1059–1061, 1063
Grasses, injury by army worms in Texas, notes ... 1101

Hallsted, A. L., and Cole, John S.: The Effect of Outside Rows on the Yields of Plots of Kafir and Milo at Hays, Kans. ... 991–1002

Page

Halma, F. F., and Reed, H. S.: Further Observations on the Relations Between Growth and Sap Concentration in Citrus Trees ... 1177–1194
Ham, nutritive value of protein in voluntary muscle, heart, liver, and kidney ... 1025–1040
Hannchen barley, development in removed immature kernels ... 671–678
Harden, A., studies of vitamins ... 897
Harding, T. Swann, Hartman, Arthur M., Grant, Fred M., Meigs, Edward B., and Turner, William A.: Calcium and Phosphorus Metabolism in Dairy Cows ... 833–860
Harlan, Harry V., and Pope, Merritt N.: Development in Immature Barley Kernels Removed from the Plant ... 669–678
Harris, J. Arthur: The Relationship Between the Concentration of the Soil Solution and the Physicochemical Properties of the Leaf-tissue Fluids of Egyptian and Upland Cotton ... 605–647
Harter, L. L.—
and Weimer, J. L.: Root Rot of the Bean in California Caused by *Fusarium martii phaseoli* Burk. and *F. aduncisporum* n. sp. ... 311–319
and Whitney, W. A.: Influence of Soil Temperature and Soil Moisture on the Infection of Sweet Potatoes by the Black-Rot Fungus ... 1153–1160
Weimer, J. L., and Lauritzen, J. I.: The Comparative Susceptibility of Sweet-Potato Varieties to Black Rot ... 1135–1142
Hartman, Arthur M., Grant, Fred M., Meigs, Edward B., Turner, William A., and Harding, T. Swann: Calcium and Phosphorus Metabolism in Dairy Cows ... 833–860
Harvesting, experimental, of wheat, comparison of methods ... 1047–1048
Hawaii, citrus scab and canker ... 153
Hay—
curing, relation to calcium assimilation ... 858, 859
feed values for horses ... 573, 579, 580, 582, 584–585, 587, 588, 590, 591–594, 595, 797, 598, 599, 600–602.
relation to calcium assimilation of dairy cows ... 850, 859
Heat injuries, apples, two sides of same apple ... 1–16
Heliothis obsoleta Fab. *See Cirphis latiuscula.*
Helix arboreus Say. *See Zonitoides arboreus* Say.
Helminthosporium—
gossypii n. sp.—
Cause of Leaf, Bract, and Boll Spot of Cotton: C. M. Tucker ... 391–395
description ... 394
sp., infection of corn ... 1195
Hessian fly—
infestation of wheat, discussion of results of study ... 1041–1044
natural control of ... 1049
parasites, notes ... 267–268
Phytophaga destructor Say, Determination—
by the 5-Square-Yard Method of the Yield of Wheat Plots Used in Studies of: W. B. Cartwright and W. H. Larrimer ... 1045–1048
of the Percentage of Infestation by: W. H. Larrimer and W. B. Cartwright ... 1041–1044
of the Percentage of Parasitism: W. H. Larrimer and W. B. Noble ... 1049–1051
See also Fly, Hessian.
Heterocampa guttivitta—
control—
by disease and starvation ... 695–696
by parasites and predators ... 693–698
natural ... 693, 698
Walker, Observations on a Recurring Outbreak and Natural Enemies Controlling It: C. W. Collins ... 689–699
Hill, Charles C.: *Platygaster hiemalis* Forbes, a Parasite of the Hessian Fly ... 261–275

Hoagland, Ralph— and Snider, George G.— Page
Nutritive Value of the Protein in Veal and Calf Sweetbreads; in Beef Cheek Meat, Lips, Tongues, Brains, Spleen, and Tripe; and in Hog Brains and Tongues 679–688
Nutritive Value of the Protein in Voluntary Muscle, Heart, Liver, and Kidney, from Cattle, Sheep, and Hogs 1025–1040
Vitamin A in Oleo Oil and Oleo Stearin 397–416
Hoffman, A. W. H., cytological research on *Endophyllum sempervivi* 1005
Hog, brains and tongues, protein value 680–683, 684, 687
Hogs, Sheep, and Cattle, Nutritive Value of the Protein in Voluntary Muscle, Heart, Liver, and Kidney from: Ralph Hoagland and George G. Snider 1025–1040
Holland, onion smut, occurrence 143
Horses—
feed values, methods of calculation 570–571
Feeds—
for, Digestibility and Energy Values: J. B. Lindsey, C. L. Beals, and J. G. Archibald 569–604
summary and conclusions 603
nitrogen balances 600–602
Hybrids, false, discussion 564–565
Hydrogen-ion concentration, relation to fungus of cabbage yellows 187–194
Hydroxylupinine, toxicity 65–66
Hyposoter clisiocampae Weed, parasite of *Heterocampa guttivita* Walk 693, 695

Ictrogen, poison to livestock 51
Illinoia pisi Kalt. *See* Pea aphis.
Indiana, experiments in resistance of wheat to rust 933–935
Indo-China, citrus diseases 159, 160
Inheritance—
awnlessness 167–168
of resistance—
factor of environment in study 966–967
to Leaf Rust, *Puccinia triticina* Erikss., in Crosses of Common Wheat, *Triticum vulgare* Vill: E. B. Mains, C. E. Leighty, and C. O. Johnston 931–972
resistance to bunt 165–166
winter habit 166–167
Inoculation—
blackberry rust, materials and methods 1007–1008
experiments—
bunt resistance in wheat 975–976
in smut resistance of corn seedlings 652, 657, 662–663
potato with scab-fungus, results 773–776
Insecticides, and Alternate Extraction and Exposure Method Used in Study of Arsenicals: S. Lomanitz 499–500
Insects—
Cirphis spp., observations 1099–1119
European corn borer in New England, study 1053–1068
Mandibulate, Practicability of Quantitative Toxicological Investigations: F. L. Campbell 359–366
need of vitamin, studies 896–898
poisoning, relation of dosage to speed of action 361–362
studies of vitamin influence 896–898
susceptibility to arsenic of several species 364–365
Ipomoea batatas Poir. *See* Sweet Potatoes.
Irrigation—
experiments in connection with watercore of apples 227–239, 243
orchards, injury to apples by heat 6–10
sources of water supply, remarks 203

Jala-Algeria, hybrid maize, correlated characters 39–50
Japan, citrus scab and canker 150, 153, 156–157,
Java, citrus canker and scab 150, 159, 160
Johnson, E. M. and Valleau, W. D.: Method of Growing Corn Seedlings (*Zea mays*) Free from Seed-borne Organisms 1195–1198

Johnston, C. O.— Page
and Tisdale, W. H.: A Study of Smut Resistance in Corn Seedlings Grown in the Greenhouse 649–668
Mains, E. B., and Leighty, C. E.: Inheritance of Resistance to Leaf Rust, *Puccinia triticina* Erikss., in Crosses of Common Wheat, *Triticum vulgare* Vill 931–972

Kafir—
and Milo, Yields of Plots at Hays, Kansas, the Effect of Outside Rows: John S. Cole and A. L. Hallsted 991–1000
yields, experiments in Kansas, discussion of results and summary 1001–1002
Kale, ringspot of 97–132
Kamm, O., formula, application of 1090
Kanred wheat, inheritance of susceptibility to leaf rust 945–953, 967

Kansas—
corn smut experiments 657–662
Effect of Outside Rows on the Yields of Plots of Kafir and Milo at Hays: John S. Cole and A. L. Hallsted 991–1002
experiments in resistance of wheat to rust 932–966
ration, feed value, horses 575–578
Kempton, J. H.: Correlated Characters in a Maize Hybrid 39–50
Kernels, Barley, Removed Immature from the Plant, Development: Harry V. Harlan and Merritt N. Pope 669–678
Khapli Emmer—
Cytological Studies of Forms 9, 21, and 27 of *Puccinia graminis tritici* on: Ruth E. Allen 701–725
resistance to wheat stem rust 703, 722–724
King, C. J., and Loomis, H. F.: Experiments on the Control of Cotton Root Rot in Arizona 297–310
Krauch, Hermann: The Determination of Increment in Cut-Over Stands of Western Yellow Pine in Arizona 501–541
Kunkel, L. O.: Studies of Blackberry Orange Rust 1005–1006

Lamb, nutritive value of protein in voluntary muscle, heart, liver, and kidney 1025–1048
Laphygma frugiperda. S. & A. *See* Army worms.
Lard, comparison with oleo oil as source of vitamin A 415
Larrimer, W. H., and—
Cartwright, W. B.: Determination—
by the 5-Square-Yard Method of Yield of Wheat Plots Used in Studies of the Hessian Fly, *Phytophaga destructor* Say 1045–1048
of the Percentage of Infestation by the Hessian Fly, *Phytophaga destructor* Say 1041–1044
Noble, W. B.: Determination of the Percentage of Parasitism of the Hessian Fly, *Phytophaga destructor* Say 1049–1051
Lasiocampidae, hosts of *Archytas analis* 432
Lauritzen, J. I., Weimer, J. L., and Harter, L. L.: Comparative Susceptibility of Sweet-Potato Varieties to Black Rot 1135–1142
Lead arsenate, acid, reaction with calcium hydroxide 77–78
Leaf—
Roller, Strawberry (*Ancylis comptana* Froehl.), the Biology of an Important Parasite, *Macrocentrus ancylivora* Rohwer: David E. Fink 1121–1134
Rust—
Stem Rust and Powdery Mildew, Resistance of Rye: E. B. Mains 201–221
See also Rusts.
Smut, Timothy, Life History of Causal Organism *Ustilago striaeformis* (Westd.) Niessl: W. H. Davis 69–76
Spot—
and Botrytis Blossom Blight of Geranium, Relation to the Gray Mold of Head Lettuce: L. E. Melchers 883–894
geranium, symptoms 885–886
Leafspot, crucifer susceptibility 97

Page

Leaf-tissue Fluids, Egyptian and Upland Cotton, Physicochemical Properties, and the Concentration of the Soil Solution, the Relationship Between: J. Arthur Harris ... 605-647

Leighty, C. E., Johnston, C. O., and Mains, E. B.: Inheritance of Resistance to Leaf Rust, *Puccinia triticina* Erikss., in Crosses of Common Wheat, *Triticum vulgare* Vill ... 931-972

Lemon—
deficit of water in shoots, relation to growth ... 1179
sap concentration—
hydrogen-ion ... 1187-1189
in shoots of unpruned trees, seasonal fluctuations ... 1180-1182
relation to pruning ... 1183-1187
shoots growth, influence of external factors ... 1177-1179

Lettuce, Head, Gray Mold, Relation to Botrytis Blossom Blight and Leaf Spot of Geranium: L. E. Melchers ... 883-894

Leucania latiuscula. *See Cirphis latiuscula*.

Lindfors, T., description of a form of *Puccinia arenariae* ... 1007

Lindsey, J. B., Veals, C. L., and Archibald, J. G.: The Digestibility and Energy Values of Feeds for Horses ... 569-604

Linseed meal, composition, digestibility, and energy value for horses ... 590-591, 597

Livestock, poisoning by lupine alkaloids ... 51-67

Loeb, J., and Northrop, J. H.: Studies on vitamins ... 896

Lomanitz, S.: An Alternate Extraction and Exposure Method Used in Connection with the Study of Arsenicals ... 499-500

Longley, A. E.: Chromosomes and Their Significance in Strawberry Classification ... 559-568

Loomis, H. F., and King, C. J.: Experiments on the Control of Cotton Root Rot in Arizona ... 297-310

Louisiana, sugar cane root disease, cause ... 783-791

Lupine—
Alkaloids, Relative Toxicity: James Fitton Couch ... 51-67
food plant of pea aphis ... 864

Lupinus spp., toxicity tests ... 61-67

Lush, J. L.: Practical Methods of Estimating the Proportions of Fat and Bone in Cattle Slaughtered in Commercial Packing Plants ... 727-755

Macrocentrus ancylivora Rohwer, An Important Parasite of the Strawberry Leaf Roller (*Ancylis comptana* Froehl.), Biology of: David E. Fink ... 1121-1134

Magness, J. R., and Ballard, W. S.: The Respiration of Bartlett Pears ... 801-832

Maine, outbreak and control of *Heterocampa guttivitta* Walk ... 689-699

Mains, E. B.—
Leighty, C. E., and Johnston, C. O.: Inheritance of Resistance to Leaf Rust, *Puccinia triticina* Erikss., in Crosses of Common Wheat, *Triticum vulgare* Vill. ... 931-972
Rye Resistant to Leaf Rust, Stem Rust, and Powdery Mildew ... 201-221

Maire, R., cytological study of the Endophyllums ... 1004

Maize, Correlated Characters in a Hybrid: J. H. Kempton ... 39-50

Malacosoma—
americanum. *See* Caterpillars.
spp., hosts of *Archytas analis* ... 432

Malakoff wheat, inheritance of resistance to leaf rust ... 953-958, 963-965, 967, 968, 970

Manure—
effect on development of cotton roots ... 307-308
experiments for control of cotton root rot ... 299-309

Maple trees, injury by *Heterocampa guttivitta* ... 691, 692

Marquis wheat, cross with Turkey, genetics ... 165-181

Massachusetts, outbreak and control of *Heterocampa guttivitta* Walk ... 689-699

McAlpine, D.—
Page
report on water-core of apples ... 225
statement regarding ringspot of crucifers ... 99

McCollum, E. V., studies of nutritive values of animal proteins ... 1027

McKay, M. B.: Further Studies of Potato Wilt Caused by *Verticillium albo-atrum* ... 437-470

McNamara, Homer C.: Behavior of Cotton Root Rot at Greenville, Texas, Including an Experiment with Clean Fallows ... 17-24

Meigs, Edward B., Turner, William A., Harding, T. Swann, Hartman, Arthur M., and Grant, Fred M.: Calcium and Phosphorus Metabolism in Dairy Cows ... 833-860

Melchers, L. E.: Botrytis Blossom Blight and Leaf Spot of Geranium and Its Relation to the Gray Mold of Head Lettuce ... 883-894

Mermis n. sp., parasite of *Heterocampa guttivitta* Walk ... 693, 695

Metabolism, Calcium and Phosphorus, in Dairy Cows: Edward B. Meigs, William A. Turner, T. Swann Harding, Arthur M. Hartman, and Fred M. Grant ... 833-860

Meteorus hyphantriae Riley, parasite of *Heterocampa guttivitta* Walk ... 693, 694

Mildew, Powdery, and Rusts, Leaf and Stem, Resistance of Rye: E. B. Mains ... 201-221

Milk, yield, relation to calcium assimilation ... 840, 846, 859

Millardet, description of Fragaria hybrids ... 564-565

Mills, cottonseed, manufacturing conditions ... 795-797

Milo—
and Kafir, Yields of Plots at Hays, Kansas, the Effect of Outside Rows: John S. Cole and A. L. Hallsted ... 991-1002
yields and experiments in Kansas, discussion of results, and summary ... 1001-1002

Mistletoe, damage to yellow pine and blackjack ... 521

Mitchell, H. H., studies of nitrogen balances in food products ... 1027-1028

Mocis repanda. *See Cirphis latiuscula*.

Moisture—
disease factor of coconut palm bud rot ... 494
Effect on the Loss of Sugar from Sugar Beets in Storage: Dean A. Pack ... 1143-1152
influence on development of crown gall ... 85-92
soil, effect on yields of outside rows, kafir and milo ... 991-1002
See also Soil moisture.

Mold, Gray, of Head Lettuce, Relation to Botrytis Blossom Blight and Leaf Spot of Geranium: L. E. Melchers ... 883-894

Moreau, F. and Mme. F., work with Endophyllums ... 1004-1005, 1006

Moth—
flour, life history ... 898-899
Mediterranean Flour (*Ephestia kuehniella* Zeller), in Wheat Flour, a Physiological Study: Charles H. Richardson ... 895-929

Moths, flour, studies of effects of vitamins on growth ... 923-927

Moving Average, as a Basis for Measuring Correlated Variation in Agronomic Experiments: Frederick D. Richey ... 1161-1175

Mycosphaerella brassicicola (Fr.) Lindau—
Cause of Ring-Spot of Crucifers: J. L. Weimer ... 97-132
hosts ... 97

New England—Development of the European Corn Borer, A Two-Year Study: George W. Barber ... 1053-1068

New Hampshire, outbreak and control of *Heterocampa guttivitta* Walk ... 689-699

New York, outbreak and control of *Heterocampa guttivitta* Walk ... 689-699

Noble, W. B., and Larrimer, W. H.: Determination of the Percentage of Parasitism of the Hessian Fly, *Phytophaga destructor* Say ... 1049-1051

Noctuidae, hosts of *Archytas analis* ... 432

Norka wheat, inheritance of resistance to leaf rust ... 965-966, 970

Page

North Carolina, Cottonseed Meals, the Gossypol and D-Gossypol Content Studies: F. W. Sherwood 793–800
Northrop, J. H., and Loeb, J.: Studies of vitamins 896
Norton, report on water-core of apples 226
Nuclear fusions in blackberry rust, discussion and summary of results of study 1014–1023

Oats—
feed value, horses 591–594, 597
injury by *Cirphis latiuscula* 1100, 1101
O'Gara, report on water-core of apples 226
Oleo oil—
and stearin, Vitamin A in: Ralph Hoagland and George G. Snider 397–416
color in relation to vitamin content 415
Onion smut—
spread in Europe and America 142
temperature relations 133–145
See also Urocystis cepulae.
Oospora scabies. See Actinomyces scabies.
Ophthalmia, result of vitamin-free diet 398, 407, 410
Orange—
infection with Pseudomonas canker 341, 343, 344
rust, Rubus, short-cycle form, *Caeoma nitens* 1003–1022
sap concentration—
hydrogen-ion seasonal changes 1191–1192
influence of season and cultivation 1189–1191
Oregon, ringspot of crucifers 131
Overwintering—
European corn borer in New England 1054–1055, 1062–1065, 1059, 1060
Pseudomonas citri, Overwintering Studies, Further: George L. Peltier and William J. Frederich 335–345
Ox lips. *See* Viscera.

Pack, Dean A.: The Effect of Moisture on the Loss of Sugar from Sugar Beets in Storage 1143–1152
Packing Plants, Commercial, Practical Methods of Estimating the Proportions of Fat and Bone in Cattle Slaughtered: J. L. Lush 727–755
Palms, Coconut, Phytophthora Bud Rot in Porto Rico: C. M. Tucker 471–498
Pansy, food plant of pea aphis in California 864
Paraffin, Derivatives, Effectiveness in Attracting Flies: William C. Cook 347–358
Parasite—
cotton, *Helminthosporium* as cause of spot 391–395
Important, *Macrocentrus ancylivora* Rohwer, of the Strawberry Leaf Roller (*Ancylis comptana* Froehl.), The Biology of a: David E. Fink 1121–1134
Platygaster hiemalis Forbes, of Hessian Fly: Charles C. Hill 261–275
Parasites—
California pea aphis 880
Cirphis latiuscula, collection and rearing 1105, 1108–1116
cutworm, tachina fly useful as 417–435
Fusaria, study in bean rot investigation 312, 317
sawfly 295–294
use in control of *Heterocampa guttivitta*, Walk 693–698
Parasitism, Hessian Fly, *Phytophaga destructor* Say, Determination of the Percentage of: W. H. Larrimer and W. B. Noble 1049–1051
Pasmo Disease of Flax: W. E. Brentzel 25–37
Pea aphis—
California—
food plants 864
life history and habits 865–876
in California: Roy E. Campbell 861–881
study in California, summary 880–881
Pears—
Bartlett—
composition of the intercellular atmosphere 826–829
Respiration of: J. R. Magness and W. S. Ballard 801–832
respiration—
in nitrogen 817–818
study, discussion of results and summary 829–831

Page

Peas—
field, damage by pea aphis 864, 880
garden, damage by pea aphis 863–864, 880
sweet, damage by pea aphis 864
Pelargonium hortorum. See Geranium.
Peltier, George L. and Frederich, W. J.:—
Further Studies on the Overwintering of *Pseudomonas citri* 335–345
Effects of Weather on the World Distribution and Prevalence of Citrus Canker and Citrus Scab 147–164
Philippine Islands, citrus canker and scab 150. 159, 160, 164
Phleum pratense L. *See* Timothy.
Phlyctaena linicola, cause of Pasmo disease of flax 25–37
Phosphorus and Calcium, Metabolism in Dairy Cows: Edward B. Meigs, William A. Turner, T. Swann Harding, Arthur M. Hartman, and Fred M. Grant 833–860
Phytophaga destructor Say, Hessian Fly: Determination—
by the 5-Square-Yard Method of the Yield of Wheat Plots Used in Studies: W. B. Cartwright and W. H. Larrimer. 1045–1048
of the Percentage of Infestation: W. H. Larrimer and W. B. Cartwright 1041–1044
of the Percentage of Parasitism: W. H. Larrimer and W. B. Noble 1049–1051
Phytophthora—
Bud Rot of Coconut Palms in Porto Rico: C. M. Tucker 471–498
colocasiae Rac., Toxicity of Organic Compounds to the Spores of: B. N. Uppal. 1069–1097
faberi Maublanc, Cause of Bud Rot in Coconut Palms: C. M. Tucker 472
palmivora Butler, tests for disease of coconut palms 472
spores, toxicity of organic compounds to, discussion and summary of results 1090–1095
Pigments, apples, function in high temperatures 13
Pigweed, host of European corn borer 1061
Pine—
mortality—
relation to cutting methods 535–537
under several conditions 532–541
relation to blackjack in volume and increment 518–520
Western Yellow, in Arizona, the Determination of Increment in Cut-Over Stands: Hermann Krauch 501–541
yellow—
average trees, periodic increment 525–526
determination of average trees 504–508, 515–520
increment of thrifty and unthrifty trees 521–523
increment summary 540–541
relation of mortality to cut-over areas 538–539
stands, volume and increment analysis 526–532
Pinus ponderosa. See Pine, Western Yellow.
Platygaster hiemalis—
economic importance as parasite of Hessian fly 261–262
embryo, larva, etc., descriptions 262–266
Forbes, Parasite of Hessian Fly: Charles C. Hill 261–275
seasonal history 273–274
Platygasters, comparison of larval forms 266–268
Podisus modestus Dall., predator of *Heterocampa guttivitta* Walk 693, 695
Poirault, G., studies of *Endophyllum centranthi-rubri* 1006
Poisoning, insect, relation of dosage to speed of action 361–362
Poisons, use in known quantities against insects 359–366
Pole-Evans, statement on water-core of apples 225
Polygonum pennsylvanicum, attraction for tachinids 433
Popcorn, Correlated Characters in a Maize Hybrid: J. H. Kempton 39–50
Pope, Merritt N., and Harlan, Harry V.: Development in Immature Barley Kernels Removed from the Plant 669–678
Pork, nutritive value of protein in voluntary muscle, heart, liver, and kidney 1025–1040

Page

Portier, P.: Studies of Vitamins ... 898
Porto Rico, Phytophthora Bud Rot of Cocoanut Palms in: C. M. Tucker ... 471-498
Potato—
cork layer, function in scab resistance ... 780
infection point and lesions in scab ... 776-777
Relation of Growth in the Tuber to the Scab Disease: Hurley Fellows ... 757-781
scab—
disease study, discussion of results and summary ... 778-781
relation of tuber growth to disease, discussion and summary ... 778-781
Wilt—
Caused by *Verticillium albo-atrum*, Further Studies of: M. B. McKay ... 437-470
soil infection at distances from inoculum 462
Potatoes—
inoculation results ... 773-776
stem-end discoloration, unreliability as an index of wilt ... 437-438
Sweet. *See* Sweet potatoes.
tuber growth phases ... 758-768
wilt infection from eye pieces ... 438-440
Powdery Mildew. *See* Mildew, Powdery.
Precipitation, citrus regions, table ... 152
Protein—
animal, nutritive value, review of study 1026-1028
in animal parts, nutritive value, comparison ... 1039
in Voluntary Muscle, Heart, Liver, and Kidney, from Cattle, Sheep, and Hogs, Nutritive Value: Ralph Hoagland and George G. Snider ... 1025-1040
Nutritive Value—
in Veal and Calf Sweetbreads, in Beef Cheek Meat, Lips, Tongues, Brains, Spleen, and Tripe; and in Hog Brains and Tongues: Ralph Hoagland and George G. Snider ... 679-688
relative in several tissues ... 1030-1037
utilization, comparison of male and female rats ... 1039
Pruning, lemon, relation to sap concentration in ... 1183-1187
Pseudomonas citri—
Hasse, effects of weather on distribution and prevalence ... 147-164
Studies in Overwintering of: George L. Peltier and William J. Frederich ... 335-345
survival in—
soil, remarks ... 335-336
spots on defoliated leaves ... 336-340
winter ... 345
Puccinia—
dispersa. *See* Rust.
graminis—
secalis. *See* Stem rust.
tritici, differences between forms 9, 21, and 27 ... 719-721, 723
tritici, Forms 9, 21, and 27, on Khapli Emmer, Cytological Studies: Ruth F. Allen ... 701-725
tritici, on Khapli Emmer, first attacks and later adjustment ... 709-712
spp. *See* Rusts.
triticina Erikss., Leaf Rust, Inheritance of Resistance in Crosses of Common Wheat, *Triticum vulgare* Vill: E. B. Mains, C. E. Leighty, and C. O. Johnston ... 931-972
Pythium palmivorum Butler. *See Phytophthora palmivora*.

Quick, Mary Elaine, and Bartsch, Paul: An Anatomic Study of *Zonitoides arboreus* Say ... 783-791

Radish, immunity to ringspot ... 97
Rainfall, limits for citrus diseases ... 163-164
Raspberries, black, crossing the Rubus orange rust, effect upon ... 1022
Raspberry, crown gall, influence of environment on development ... 83-96
Rats, average growth values, feeding experiments with protein ... 1031, 1032, 1034, 1035, 1036, 1037

Page

Reed, H. S., and Halma, F. F.: Further Observations on the Relations Between Growth and Sap Concentration in Citrus Trees ... 1177-1194
Resistance—
cabbages, yellow fungus, factors of ... 194-195, 197
inheritance, in bunt of wheat ... 973-990
Khapli emmer to wheat stem rust, theories of ... 722-724
to Leaf Rust, *Puccinia triticina* Erikss., Inheritance in Crosses of Common Wheat, *Triticum vulgare* Vill: E. B. Mains, C. E. Leighty, and C. O. Johnston ... 931-972
Respiration, Bartlett Pears—
in nitrogen ... 817-818
J. R. Magness and W. S. Ballard ... 801-832
Revere—
amaranthus. *See* Amaranthus.
corn. *See* Corn.
Rib flesh, composition as indicator of fatness of animal ... 752-753, 754
Richardson, Charles H.: A Physiological Study of the Growth of the Mediterranean Flour Moth (*Ephestia kuehniella* Zeller) in Wheat Flour ... 895-929
Richey, Frederick D.: Moving Average as a Basis for Measuring Correlated Variation in Agronomic Experiments ... 1161-1175
Ries, Donald T.: Biological Study of *Cephus pygmaeus* (Linnaeus) The Wheat-stem Sawfly ... 277-295
Riker, A. J.: Studies on the Influence of Some Environmental Factors on the Development of Crown Gall ... 83-96
Ringspot—
crucifer, control measures ... 126-131
Crucifers—
Caused by *Mycosphaerella brassicicola* (Fr.) Lindau.: J. L. Weimer ... 97-132
summary of study ... 130-131
incubation period ... 118-119
Ripening, Bartlett pears, in storage, gas contents ... 828-829, 831
Roguing, method for elimination of potato wilt fungus ... 444-452, 461, 469
Root—
disease, sugar cane, caused by *Zonitoides arboreus* Say ... 783-791
rot—
cotton. *See* Cotton, root rot.
See Rot.
system, infection, potato wilt ... 462-463
systems, study of fungus resistance ... 194-195, 197
Rot—
Black—
Comparative Susceptibility of Sweet-Potato Varieties: L. L. Harter, J. L. Weimer, and J. I. Lauritzen ... 1135-1142
Fungus, Infection of Sweet Potatoes, Influence of Soil Temperature and Soil Moisture: L. L. Harter and W. A. Whitney ... 1153-1160
Cotton Root—
Behavior at Greenville, Tex., Including An Experiment with Clean Fallows: Homer C. McNamara ... 17-24
control experiments in Texas, review ... 297-310
Experiments on Control in Arizona: C. J. King and H. F. Loomis ... 297-310
root—
cotton. *See* Rot, Cotton Root.
importance as disease of cotton, alfalfa, and fruit in Arizona ... 309
of the Bean in California Caused by *Fusarium martii phaseoli* Burk. and *F. aduncisporum* n. sp.: J. L. Weimer and L. L. Harter ... 311-319
Rotation, crop—
remedy for potato wilt ... 458, 465-468
use against ringspot ... 130
Rows, Outside, Effect on Yields of Kafir and Milo: John S. Cole and A. L. Hallsted ... 991-1002
Rubus, orange rust, short-cycle form, *Caeoma nitens* ... 1003, 102

Page

Rust—
Blackberry, *Caeoma nitens*, the Question of Nuclear Fusions: B. O. Dodge and L. O. Gaiser ... 1003-1024
cereal, review of studies ... 701-703
forms of blackberry, discussion ... 1014-1022
growth of fungus ... 706-709
host nuclei, comparison ... 715-719
Leaf—
Puccinia triticina Erikss., in Crosses of Common Wheat, *Triticum vulgare* Vill, Inheritance of Resistance to: E. B. Main, C. E. Leighty, and C. O. Johnston ... 931-972
resistance inheritance, study, discussion of results, and summary ... 966-970
resistance inheritance, review of study ... 931-932
Stem—
on Khapli emmer, cytological studies ... 701-725
study of races, discussion and summary ... 719-724
vegetative forms, comparison ... 712-715
Rusts—
emmer, microscopic observations ... 704-705
Leaf and Stem, and Powdery Mildew, Resistance of Rye: E. B. Mains ... 201-221
study, review of literature ... 1004-1007
wheat stem, physiological differences ... 719-724
Rutabaga, ringspot of ... 97-132
Rye—
resistance to rusts and powdery mildew, discussion of results ... 218-220
Resistant to Leaf Rust, Stem Rust, and Powdery Mildew: E. B. Mains ... 201-221

Sampling—
random, effect in yield determination ... 1045-1048
5-Square-yard method, in studies of the Hessian fly ... 1045-1048
study of Hessian fly infestation ... 1041-1044
Sap, concentration—
apples ... 13-14
Relation to—
Growth in Citrus Trees: H. S. Reed and F. F. Halma ... 247-252
water-core of apples ... 1177-1194
Sappin-Trouffy, P., study of nuclear behavior ... 1004
Saugus corn. *See* Corn.
Sawfly—
injuries and losses ... 281-285
parasites ... 293-294
synonymy, distribution and food plants ... 277-281
Wheat-Stem, *Cephus pygmaeus* (Linnaeus) Biological Study: Donald T. Ries ... 277-295
See also Cephus pygmaeus (Linnaeus).
Scab—
Potato, Relation to Growth in the Potato Tuber: Hurley Fellows ... 757-781
See Citrus, scab.
Scotland, onion smut, destructiveness in ... 143
Seed—
corn, free from organisms, method of growing ... 1195-1198
potato, agent in spread of wilt organism ... 437-452
Seedlings—
Corn, in Greenhouse, Study of Smut Resistance: W. H. Tisdale and C. O. Johnston ... 649-668
timothy, inoculation with smut ... 71
Seeds, flax, agent in transmission of fungus spores ... 36
Shaw, R. B., and Wright, P. A.: A Laboratory Study to Determine the Best Time to Ensile Corn, Sunflowers, and Sudan Grass ... 321-333
Sheep, Hogs, and Cattle, Nutritive Value of the Protein in Voluntary Muscle, Heart, Liver, and Kidney from: Ralph Hoagland and George G. Snider ... 1025-1040
Sherwood, F. W.: Studies on Gossypol: The Gossypol and D-Gossypol Content of Some North Carolina Cottonseed Meals ... 793-800
Silage—
acidity and smell, remarks ... 321, 327
quality, etc., remarks ... 328, 329, 330, 331, 332
Siam, citrus canker and scab ... 150, 159
Silos, kinds in use in experiments ... 323

Page

Singleton, H. P., and Gaines, E. F.: Genetics of Marquis × Turkey Wheat in Respect to Bunt Resistance, Winter Habit, and Awnlessness ... 165-181
Siphonophora pisi Kalt. *See* Pea aphis.
Smut—
corn—
germination temperatures ... 133
review of studies ... 649-651
covered, infection temperatures ... 134
flag, germination temperatures ... 134
Leaf, in Timothy, Life History of *Ustilago striaeformis*, (Westd.) Niessl., the Causal Organism: W. H. Davis ... 69-76
loose, infection temperatures ... 134
onion—
relation of temperature to spore germination and growth ... 133-146
summary of study ... 144
Resistance in Corn Seedlings Grown in the Greenhouse, A Study: W. H. Tisdale and C. O. Johnston ... 649-668
See also Bunt; *Urocystis cepulae*.
Smuts, study, review of ... 133-134
Snider, George G. and Hoagland Ralph: Nutritive Value of the Protein in—
Veal and Calf Sweetbreads; in Beef Cheek Meat, Lips, Tongues, Brains, Spleen, and Tripe; and in Hog Brains and Tongues ... 679-688
Voluntary Muscle, Heart, Liver, and Kidney, from Cattle, Sheep, and Hogs ... 1025-1040
Vitamin A in Oleo Oil and Oleo Stearin ... 397-416
Soil—
agent in transmission of potato wilt organism ... 452-468
electrical resistance and freezing-point depression, correlation coefficients ... 621, 628, 629, 630, 636, 637, 639, 641, 642
environment, effects on germination and growth of onion smut ... 133, 142-144
moisture—
effect on yields by outside rows of kafir and milo ... 991-1002
Influence with Soil Temperature, on the Infection of Sweet Potatoes by the Black-rot Fungus: L. L. Harter and W. A. Whitney ... 1153-1160
influence on development of crown gall ... 85-92
relation to heat injury of apples ... 15
properties, measurement of relationship with cotton plant characteristics ... 644-646
salinity correlation coefficients ... 611, 614
Solution, Concentration, and the Physicochemical Properties of the Leaf-tissue Fluids of Egyptian and Upland Cotton, the Relationship Between: J. Arthur Harris ... 605-647
temperature—
effects on germination and growth of *Urocystis cepulae* ... 144
Influence, with Soil Moisture, on the Infection of Sweet Potatoes by the Black-rot Fungus ... 1153-1160
influence on development of crown gall ... 85-91
Sorauer, study of water-core of apples, note ... 225
Sorex personatus Geof., predator of *Heterocampa guttivitta* Walk ... 693, 698
Sorghum, injury by *Cirphis latiuscula* ... 1101
Spain—
citrus scab and canker not known ... 150, 160, 161
onion smut, occurrence in ... 143
Sparteine, sulphate, toxicity ... 61-64
Spathulatine, toxicity ... 61
Spore Germination and Growth of *Urocystis cepulae*, Relation of Temperature to: J. C. Walker and F. L. Wellman ... 133-146
Spores—
discharge in ringspot of crucifers, study ... 108-110
germination study, *Urocystis cepulae* ... 140-141
transmission by seed of fungus ... 36
Spot, Cotton—
Leaf, Bract, and Boll, Caused in Sea Island by *Helminthosporium gossypii* n. sp.: C. M. Tucker ... 391-395
remarks on ... 391
Spraying, cabbage and cauliflower fields, for ringspot ... 127

Page

Sprays—
Hydrated Lime-acid Lead Arsenate, Rôle of Calcium Hydroxide in: F. L. Campbell ... 77-82
ringspot of crucifers—
injuries ... 128
material for ... 127-128
Steers. *See* Cattle.
Stem rust—
cytological studies in Khapli emmer ... 701-725
See also Rusts.
Storage—
apple, effect on water-core ... 253-258
Bartlett pears—
catalase behavior in ... 831
respiration in ... 810-813, 831
Sugar Beets in, Effect of Moisture on the Loss of Sugar: Dean A. Pack ... 1143-1152
Strawberries, classification—
relation of chromosomes ... 567
Significance of Chromosomes: A. E. Longley ... 559-568
Strawberry, Leaf Roller (*Ancylis comptana* Froehl.), the Biology of An Important Parasite of, *Macrocentrus ancylivora* Rohwer: David E. Fink ... 1121-1134
Sudan grass—
maturity at which ensiled ... 323, 332
silage of, remarks ... 330-331
Study to Determine Best Time to Ensile with Corn and Sunflowers: P. A. Wright and R. H. Shaw ... 321-333
use as silage plant, remarks ... 321
Sugar, Loss from Sugar Beets in Storage, Effect of Moisture: Dean A. Pack ... 1143-1152
Sugars, silo, remarks ... 327
Sulphate, sparteine, toxicity ... 61-64
Sunflower silage, remarks ... 329-330
Sunflowers—
maturity at which ensiled ... 323, 332
Study to Determine Best Time to Ensile with Corn and Sudan Grass: P. A. Wright and R. H. Shaw ... 321-333
Sweet—
clover, carrier of potato wilt fungus ... 441, 462
potatoes—
growth, relation of temperature ... 1159-1160
Infection by Black-rot Fungus, Influence of Soil Temperature and Soil Moisture: L. L. Harter and W. A. Whitney ... 1153-1160
sprouts, infection by Black Rot following germination ... 1158-1159
Varieties, Comparative Susceptibility to Black Rot: L. L. Harter, J. L. Weimer, and J. J. Lauritzen ... 1135-1142
Sweetbreads—
protein value ... 680-681, 684, 687-688
Veal and Calf: Nutritive Value of the Protein in Beef Cheek Meat, Lips, Tongues, Brains, Spleen, and Tripe; and in Hog Brains and Tongues: Ralph Hoagland and George G. Snider ... 679-688
Sweet-Potato Varieties, Comparative Susceptibility to Black Rot; L. L. Harter, J. L. Weimer, and J. I. Lauritzen ... 1135-1142
Syrphidae, enemies of pea aphis in California ... 877-879

Tachina Fly, *Archytas analis*, Parasite of the Variegated Cutworm, Life History: H. W. Allen ... 417-435
Telenomus coelodasidis Ashm., parasite of *Heterocampa guttivitta* Walk ... 693, 694
Temperature—
effect on—
emergence of European corn borer ... 1061
growth and reproduction of pea aphis ... 876
mycelial growth ... 114-117
onion seedling ... 144
influence on development of crown gall ... 85-92
relation to—
growth of sweet potatoes ... 1159-1160
ripening of Bartlett pears ... 831
Spore Germination and Growth of *Urocystis cepulae*: J. C. Walker and F. L. Wellman ... 133-146
See also Soil temperature.

Page

Temperatures, citrus regions, table ... 151
Tennessee, experiments in resistance of wheat to rusts ... 934-945
Texas—
citrus diseases, outbreaks ... 150, 151, 164
Cotton Root Rot at Greenville, Behavior, including an Experiment with Clean Fallows: Homer C. McNamara ... 17-24
cotton root rot experiments review ... 297-299
Gulf Coast Region, Observations on *Cirphis latiuscula* (H. sch.): R. A. Vickery ... 1099-1119
Thomas, K., study of nutritive value of foodstuffs ... 1026
Thymus. *See* Sweetbreads.
Tilletia tritici (Bjerk.). *See* Bunt.
Timber yield—
effect of area in reckoning ... 556
stand tables, substitute ... 551-555
Tables—
Method of Preparation: Donald Bruce ... 543-557
methods, advantages and disadvantages ... 557
Timothy—
hay—
feed values for horses ... 573-574, 597
relation to calcium assimilation by dairy cows ... 857, 858, 859
inoculation with leaf smut, results ... 72-74
Leaf Smut, Life History of Causal Organism *Ustilago striaeformis* (Westd.) Niessl.: W. H. Davis ... 69-76
plants, inoculation with smut ... 69-74
Tims, E. C.: On the Nature of Resistance to Cabbage Yellows ... 183-199
Tisdale, W. H., and Johnston, C. O.: A Study of Smut Resistance in Corn Seedlings Grown in the Greenhouse ... 649-668
Tomato, crown gall, influence of environment on development ... 83-96
Tongues. *See* Viscera.
Toxicity of Organic Compounds to the Spores of *Phytophthora colocasiae*, Rac: B. N. Uppal ... 1069-1097
Toxicological Investigations, Practicability on Mandibulate Insects: F. L. Campbell ... 359-366
Trees, crown suppression, damage to yellow pine and blackjack ... 521
Trichogramma minutum Riley, parasite of *Heterocampa guttivitta* Walk ... 693, 694
Tripe—
protein, nutritive value ... 687
See also Viscera.
Triticum—
dicoccum Schr., Cytological studies of Forms 9, 21, and 27 of *Puccinia graminis tritici* on: Ruth F. Allen ... 701-725
vulgare, Vill. *See* Wheat.
Tucker, C. M.—
A Leaf, Bract, and Boll Spot of Sea-island Cotton Caused by *Helminthosporium gossypii* n. sp. ... 391-395
Phytophthora Bud Rot of Coconut Palms in Porto Rico ... 471-498
Turkey wheat, cross with Marquis, genetics ... 165-181
Turner, William A., Harding, T. Swann, Hartman, Arthur M., Grant, Fred M., and Meigs, Edward B.: Calcium and Phosphorus Metabolism in Dairy Cows ... 833-860
Turnip—
white, immunity to ringspot ... 97
yellow, ringspot of ... 97-132

Upland Cotton. *See* Cotton.
Uppal, B. N.: Toxicity of Organic Compounds to the Spores of *Phytophthora colocasiae* Rac ... 1069-1097
Urocystis cepulae—
correlation with distribution, America and Europe ... 142-143
germination of hyphal fragments ... 138
Relation of Temperature to Spore Germination and Growth: J. C. Walker and F. L. Wellman ... 133-146
See also Smut.

	Page
Ustilago—	
striaeformis—	
life history	75
(Westd.) Niessl., which Causes a Leaf Smut in Timothy, Life History: W. H. Davis	69–76
zeae—	
resistance of corn seedlings grown in the greenhouse	649–668
See also Smut.	
Valleau, W. D., and Johnson, E. M.: Method of Growing Corn Seedlings (*Zea mays*) Free from Seed-borne Organisms	1195–1198
Veal, and Calf, Sweetbreads: Nutritive Value of Protein in Beef Cheek Meat, Lips, Tongues, Brains, Spleen, and Tripe; and in Hog Brains and Tongues: Ralph Hoagland and George G. Snider	679–688
Vermont, outbreak and control of *Heterocampa guttivitta*	689–699
Verticillium albo-atrum, Cause of Potato Wilt, Further Studies of: M. B. McKay	437–470
Vetches, prey of pea aphis in California	864, 880
Vickery, R. A.: Observations on *Cirphis latiuscula* H. Sch. in the Gulf Coast Region of Texas	1099–1119
Viscera, edible, protein value, discussion and summary	687–688
Vitamin A in Oleo Oil and Oleo Stearin: Ralph Hoagland and George G. Snider	397–416
Vitamins—	
effect on Mediterranean flour moth	916–918, 923–924
experiments in feeding insects, etc., remarks	895–898
Walker, J. C.—	
and Wellman, F. L.: Relation of Temperature to Spore Germination and Growth of *Urocystis cepulae*	133–146
statement regarding ringspot of crucifers	99
Water, factor in smut spore germination	73
Water-core—	
Apple—	
Charles Brooks and D. F. Fisher	223–260
effect of storage	253–258
historical notes	225–223
development, effect of maturity of fruit	246–247
occurrence—	
and characteristics	223–225
relation to shade, sunlight, and position on tree	243–245
relation to—	
sap concentration and acidity	247–252
size and growth of apples	241–243
Weather—	
conditions—	
favorable to citrus canker but not scab	158–160
favorable to citrus scab and canker	153–158
inhibiting citrus scab and canker	161–162
effects—	
in apples, contrasts in the two sides of an apple	1–16
on development of ringspot of crucifers	117–118
on World Distribution and Prevalence of Citrus Canker and Scab: George Peltier and William J. Frederich	147–164
heat waves of 1918 and 1924	1–2, 4
influence on citrus sap concentration	1180–1182, 1189–1191, 1191–1192
relation to water-core of apples	225, 226
Webster wheat, inheritance of resistance to leaf rust	967, 970
Weeds, hosts of European corn borer	1054–1061
Weimer, J. L.—	
and Harter, L. L.: Root Rot of the Bean in California Caused by *Fusarium martii phaseoli* Burk. and *F. aduncisporum* n. sp	311–319
Weimer, J. L.—Continued.	Page
Lauritzen, J. I., and Harter, L. L.: The Comparative Susceptibility of Sweet-Potato Varieties to Black Rot	1135–1142
Ringspot of Crucifers Caused by *Mycosphaerella brassicicola* (Fr.) Lindau	97–132
Wellman, F. L., and Walker, J. C.: Relation of Temperature to Spore Germination and Growth of *Urocystis cepulae*	133–146
Wheat—	
awns, relationship with bunt susceptibility	168, 179
Bunt. *See* Bunt.	
Common, *Triticum vulgare* Vill., Crosses, Inheritance of Resistance to Leaf Rust, *Puccinia triticina* Erikss.: E. B. Mains, C. E. Leighty, and C. O. Johnston	931–972
crosses in study of resistance to bunt	977–987
degermination, relation to vitamins	923–924
flour. *See* Flour.	
hybrids, resistance to rust	932–966
infestation by Hessian fly, determination of percentage	1041–1044
Inheritance of Resistance to Bunt, *Tilletia tritici* (Bjerk.) Winter: Fred N. Briggs	973–990
losses and injuries by sawfly, *Cephus pygmaeus* (Linnaeus)	281–285
Marquis × Turkey—	
bunt resistance	169–172
genetics conclusions	180
Genetics in Respect to Bunt Resistance, Winter Habit, and Awnlessness: E. F. Gaines and H. P. Singleton	165–181
parasitism by the Hessian fly, percentage	1049–1051
sawfly, study	277–295
stem rust, on Khapli emmer, cytological studies	701–725
yield—	
determination in studies of the Hessian fly	1045–1048
of Plots, Determination by the 5-Square-Yard Method Used in Studies of the Hessian Fly, *Phytophaga destructor* Say: W. B. Cartwright and W. H. Larrimer	1045–1048
Wheat-Stem Sawfly, *Cephus pygmaeus* (Linnaeus), Biological Study: Donald T. Ries	277–295
Whitney, W. A., and Harter, L. L.: Influence of Soil Temperature and Soil Moisture on the Infection of Sweet Potatoes by the Black-Rot Fungus	1153–1160
Wilt, Potato—	
Caused by *Verticillium albo-atrum*, Further Studies of: M. B. McKay	437–470
spread in soil	452–468
transmission in seed potatoes	437–452
Winter habit, wheat crosses, inheritance of	166–167
Winthemia quadripustulata Fab., parasite of *Heterocampa guttivitta* Walk	693, 695
Wollman, E., studies of vitamins	897–898
Woods. *See* Forests.	
Worms, army. *See* Army worms.	
Wright, P. A., and Shaw, R. H.: A Laboratory Study to Determine the Best Time to Ensile Corn, Sunflowers, and Sudan Grass	321–333
Yellows, Cabbage, Nature of Resistance: E. C. Tims	83–199
Zea mays. *See* Corn.	
Zonitoides arboreus Say, an Anatomic Study: Paul Bartsch and Mary Elaine Quick	783–791